


The structure of the Earth	
The Crust	Varies in thickness (5-10km) beneath the ocean. Made up of several large plates.
The Mantle	Widest layer (2900km thick). The heat and pressure means the rock is in a liquid state that is in a state of convection.
The Inner and outer Core	Hottest section (5000 degrees). Mostly made of iron and nickel and is 4x denser than the crust. Inner section is solid whereas outer layer is liquid.

Volcanic Hazards	
Ash cloud	Small pieces of pulverised rock and glass which are thrown into the atmosphere.
Gas	Sulphur dioxide, water vapour and carbon dioxide come out of the volcano.
Lahar	A volcanic mudflow which usually runs down a valley side from the volcano.
Pyroclastic flow	A fast moving current of super-heated gas and ash (1000°C). They travel at 450mph.
Volcanic bomb	A thick (viscous) lava fragment that is ejected from the volcano.






LIC: Nepal earthquake 2015	
Causes – destructive plate margin between the Eurasian and Indo-Australian plates.	
Effects 9000 people died 3 million left homeless \$5 billion in damage Avalanche killed 19 people in the Himalayas. 50% of shops were destroyed.	Management Search and rescue teams were sent to Nepal Homes were rebuilt, 7000 schools were rebuilt or repaired. Half a million tents were provided for shelter. Roads were repaired and landslides were cleared.

Convection Currents	
The crust is divided into tectonic plates which are moving due to convection currents in the mantle.	
1	Radioactive decay of some of the elements in the core and mantle generate a lot of heat.
2	When lower parts of the mantle molten rock (Magma) heat up they become less dense and slowly rise .
3	As they move towards the top they cool down, become more dense and slowly sink .
4	These circular movements of semi-molten rock are convection currents
5	Convection currents create drag on the base of the tectonic plates and this causes them to move.

Managing Volcanic Eruptions	
Warning signs Small earthquakes are caused as magma rises up. Temperatures around the volcano rise as activity increases. When a volcano is close to erupting it starts to release gases.	Monitoring techniques Seismometers are used to detect earthquakes. Thermal imaging and satellite cameras can be used to detect heat around a volcano. Gas samples may be taken and chemical sensors used to measure sulphur levels.
Preparation	
Creating an exclusion zone around the volcano. Having an emergency supply of basic provisions, such as food	Being ready and able to evacuate residents. Trained emergency services and a good communication system.


HIC: New Zealand 2011	
Causes The Pacific Plate is moving in the opposite direction to the Australian plate - Conservative plate margin. The plates got stuck and pressure built up. Eventually the pressure was released as an earthquake.	
Effects 185 people died & approx. 3000 injured 80% of water & sewage pipes damaged. 50% of buildings in the centre of Canterbury damaged City of Christchurch could no longer host the Rugby World Cup matches – loss of income from tourism. April 2013, the total estimated cost had ballooned to \$40 billion	Management People evacuated from buildings. 30000 chemical toilets provided. Affected area zoned to classify damage/repair. \$6-7m provided from international aid.


Types of Plate Margins	
Destructive Plate Margin	
When the denser plate subducts beneath the other, friction causes it to melt and become molten magma . The magma forces its way up to the surface to form a volcano. This margin is also responsible for devastating earthquakes .	
Constructive Plate Margin	
Here two plates are moving apart causing new magma to reach the surface through the gap. Volcanoes formed along this crack cause a submarine mountain range such as those in the Mid Atlantic Ridge .	
Conservative Plate Margin	
A conservative plate boundary occurs where plates slide past each other in opposite directions, or in the same direction but at different speeds. This is responsible for earthquakes such as the ones happening along the San Andreas Fault, USA.	

The Challenges of Natural Hazards

What is a Natural Hazard	
A natural hazard is a natural process which could cause death, injury or disruption to humans, property and possessions.	
Geological Hazard	Meteorological Hazard
These are hazards caused by land and tectonic processes.	These are hazards caused by weather and climate.

Causes of Earthquakes	
Earthquakes are caused when two plates become <u>locked</u> causing <u>friction</u> to build up. From this <u>stress</u> , the <u>pressure</u> will eventually be released, triggering the plates to move into a new position. This movement causes energy in the form of <u>seismic waves</u> , to travel from the <u>focus</u> towards the <u>epicentre</u> . As a result, the crust vibrates triggering an earthquake.	
The point directly above the focus, where the seismic waves reach first, is called the EPICENTRE .	
SEISMIC WAVES (energy waves) travel out from the focus.	
The point at which pressure is released is called the FOCUS .	



Earthquake Management	
	
PREDICTING	
Methods include: <ul style="list-style-type: none"> Satellite surveying (tracks changes in the earth's surface) Laser reflector (surveys movement across fault lines) Radon gas sensor (radon gas is released when plates move so this finds that) Seismometer Water table level (water levels fluctuate before an earthquake). Scientists also use seismic records to predict when the next event will occur. 	
PROTECTION	
You can't stop earthquakes, so earthquake-prone regions follow these three methods to reduce potential damage: <ul style="list-style-type: none"> Building earthquake-resistant buildings Raising public awareness Improving earthquake prediction 	

Global pattern of air circulation


Atmospheric circulation is the large-scale movement of air by which heat is distributed on the surface of the Earth.

Hadley cell	Largest cell which extends from the Equator to between 30° to 40° north & south.
Ferrel cell	Middle cell where air flows poleward between 60° & 70° latitude.
Polar cell	Smallest & weakness cell that occurs from the poles to the Ferrel cell.




Distribution of Tropical Storms.

They are known by many names, including hurricanes (North America), cyclones (India) and typhoons (Japan and East Asia). They all occur in a band that lies roughly 5-15° either side of the Equator.



High and Low Pressure

Low Pressure	High Pressure
Caused by hot air rising. Causes stormy, cloudy weather.	Caused by cold air sinking. Causes clear and calm weather.



Formation of Tropical Storms

- The sun's rays heats large areas of ocean in the summer and autumn. This causes **warm, moist air** to rise over the particular spots
- Once the **temperature is 27°**, the rising warm moist air leads to a **low pressure**. This eventually turns into a thunderstorm. This causes air to be sucked in from the **trade winds**.
- With trade winds blowing in the opposite direction and the rotation of earth involved (Coriolis effect), the thunderstorm will eventually start to **spin**.
- When the storm begins to **spin faster than 74mph**, a tropical storm (such as a hurricane) is officially born.
- With the tropical storm growing in power, **more cool air sinks** in the centre of the storm, creating calm, clear condition called the **eye of the storm**.
- When the tropical storm hits land, it **loses its energy source** (the warm ocean) and it begins to lose strength. Eventually it will 'blow itself out'.

Changing pattern of Tropical Storms

Scientists believe that global warming is having an impact on the frequency and strength of tropical storms. This may be due to an increase in ocean temperatures.

Management of Tropical Storms

Protection Preparing for a tropical storm may involve construction projects that will improve protection.	Aid Aid involves assisting after the storm, commonly in LIDs.
Development The scale of the impacts depends on the whether the country has the resources cope with the storm.	Planning Involves getting people and the emergency services ready to deal with the impacts.
Prediction Constant monitoring can help to give advanced warning of a tropical storm	Education Teaching people about what to do in a tropical storm.



Case Study: Typhoon Haiyan 2013

Causes
Started as a tropical depression on 2nd November 2013 and gained strength. Became a Category 5 "super typhoon" and made landfall on the Pacific islands of the Philippines.

Effects

- Almost **6,500 deaths**.
- **130,000 homes destroyed**.
- Water and sewage systems destroyed had caused **diseases**.
- **Emotional grief** for dead.
- Taclaban Airport destroyed

Management

- The UN raised **£190m in aid**.
- USA & UK sent **helicopter carrier ships** deliver aid remote areas.
- **Education** on typhoon preparedness.



Case Study: Beast from the East

Causes - caused by an anticyclone and a large arctic airmass from Russia which picked up moisture over the North Sea.. The anticyclone brought cold easterly winds from Siberia which led to heavy heavy snow & temperatures that were below freezing.

Effect
Thousands of schools closed for more than one day.
10 deaths
Temps as low as -12°C in rural areas.
Flights & train services delayed/cancelled
People were stranded in cars.
All non-urgent operations cancelled
Snow drifts 7m+ & 10-20cm fell in 3 days.

Response
Met office issued a red weather warning to prevent unnecessary travel.
Armed forces were deployed to rescue stranded drivers and to transport NHS workers.
The British Red Cross gave out blankets to people at Glasgow Airport who were stranded.



What is Climate Change?

Climate change is a large-scale, long-term shift in the planet's weather patterns or average temperatures. Earth has had tropical climates and ice ages many times in its 4.5 billion years.

Recent Evidence for climate change.

Global temperature	Average global temperatures have increased by more than 0.6°C since 1950.
Ice sheets & glaciers	Many of the world's glaciers and ice sheets are melting. E.g. the Arctic sea ice has declined by 10% in 30 years.
Sea Level Change	Average global sea level has risen by 10-20cms in the past 100 years. This is due to the additional water from ice and thermal expansion.



Enhanced Greenhouse Effect

Recently there has been an increase in humans burning fossil fuels for energy. These fuels (gas, coal and oil) emit greenhouse gases. This is making the Earth's atmosphere thicker, therefore trapping more solar radiation and causing less to be reflected. As a result, the Earth is becoming warmer.



Evidence of natural change

Orbital Changes	Some argue that climate change is linked to how the Earth orbits the Sun, and the way it wobbles and tilts as it does it. The orbit can change from a spherical orbit to an elliptical (oval orbit)
Sun Spots	Dark spots on the Sun are called Sun spots. They increase the amount of energy Earth receives from the Sun.
Volcanic Eruptions	Volcanoes release large amounts of dust containing gases. These can block sunlight and results in cooler temperatures.

Adapting to Climate Change

Drought resistant crops By planting drought resistant crops we can ensure that food demands are met even when water supplies are low	Sea level Rise in the Maldives: The Maldives have restored mangrove swamps to offer protection from storms and constructed sea walls around its capital
--	---

Managing Water Supplies
Ensuring a reliable water supply by creating water storage and transfer networks can help deal with shortages. The villages of Ladakh in India are using an artificial glaciers to supply them with meltwater in the warmer months

Managing Climate Change

Carbon Capture This involves new technology designed to reduce climate change.	Planting Trees Planting trees increase the amount of carbon is absorbed from atmosphere.
International Agreements Countries aim to cut emissions by signing international deals and by setting targets.	Renewable Energy Replacing fossil fuels based energy with clean/natural sources of energy.

