AQA B2a Organisation: The human digestive system COMBINED HIGHER

Key word	Definition	Example
cells	The basic building blocks of all living organisms.	muscle cell
tissues	A group of cells with a similar structure and function.	muscle tissue
organs	Multiple tissues working together to perform a specific function.	heart
organ systems	Multiple organs working together to perform a specific function	circulatory system
organism	A living thing	human


Digestive organs Mouth The digestive system is an organ system where multiple organs work together to Salivary glands digest and absorb food. Oesophagus muscular tube that carries food down to the stomach **Stomach** – contracts to churn up food Makes bile - Liver Pancreas – makes and releases Breaks down and absorbs - Small intestine enzymes small, soluble food molecules Absorbs water from - Large intestine Rectum undigested food

Enzymes

lipid

The enzyme and

Enzymes are proteins that catalyse (speed up) chemical reactions in the body. Enzymes are described using the 'lock and key theory'. They have a very specific shaped active site (lock) which is only complementary



Enzymes control the rate of metabolism (all the chemical

reactions that occur in the body).

Digestive enzymes convert insoluble food molecules into

Ethanol and water (emulsion

test)

small, soluble molecules that can be absorbed into the blood stream. These soluble products of digestion are then used to build new proteins, lipids and

lipase

Clear → cloudy white

Enzyme Food it breaks down

Chemistry of food

digestion carbohydrase Carbohydrates Simple Salivary glands, pancreas, small sugars intestine amylase Starch Glucose Salivary glands, (a type of pancreas, small carbohydrase) intestine Protein Amino acids Stomach, protease pancreas, small intestine Lipids Glycerol and Pancreas, small

Product of

Where it's made

fatty acids intestine

(required practical 5) The activity of an enzyme can be altered by temperature and pH If the temperature is too If the pH is too high or low,

Factors affecting enzyme activity

high, then the enzyme then the enzyme denatures. denatures.

Anus

20 30 40 50 60 70 temperature / °C When an enzyme denatures its active site changes shape. This means it can

carbohydrates. Some glucose is used in respiration.

cancer, analogi come graces is accuminospinanem				
	Food tests (required practical 4)			
Food	What chemical would you use to test for it?	What colour change would you see?		
starch	lodine	Brown/orange → blue/black		
carbohydrate	Benedict's solution	Blue → brick red		
protein	Biuret reagent	Blue → purple		

		catalyse the reaction.				
/lak	laking digestion efficient					
	Where is it made?	What does it do?				
ile	Made in the liver and stored in the gall bladder	Is alkaline liquid that neutralises stomach acid. This provides enzymes in the small intestine with their optimum pH.				
		Emulsifies (breaks down) lipids into small droplets to increase the surface area. This allows the enzyme lipase to break down the lipids at a quicker rate.				

no long bind to the substrate and cannot catalyse the reaction